

Untitled
Dependency List

This report includes visible dependencies for all objects in the project.
Objects and dependencies that are not visible are not included.



backoffice.ActiveCustomers (Table) ERDExample No dependencies
backoffice.ActiveStatuses (Table) ERDExample No dependencies
backoffice.Assets (Table) ERDExample Used By backoffice.CorporateContacts (Table) backoffice.Navigation (Table) backoffice.PageTabs (Table) Uses backoffice.AssetType (Table)

backoffice.CalendarEventPrivacyTypes (Table)
ERDExample
Used By backoffice.CalendarEvents (Table)

backoffice.CalendarEvents (Table)
ERDExample
Uses backoffice.CalendarEventPrivacyTypes (Table)

backoffice.CalendarEventTypes (Table)
ERDExample
No dependencies

backoffice.Calendars (Table)
ERDExample
Used By backoffice.CalendarSubscriptions (Table) Uses backoffice.CalendarTypes (Table)

backoffice.CalendarSettings (Table)
ERDExample
No dependencies

backoffice.CalendarSubscriptions (Table)
ERDExample
Uses backoffice.Calendars (Table)

backoffice.CalendarTypes (Table)
ERDExample
Used By backoffice.Calendars (Table)

 backoffice.Colors (Table)
 ERDExample
No dependencies

 backoffice.CompanySocialNetworks (Table)
 ERDExample
No dependencies

 backoffice.CompanyWidgets (Table)
 ERDExample
No dependencies

 backoffice.ConversationParticipants (Table)
 ERDExample
No dependencies

 backoffice.Conversations (Table)
 ERDExample
No dependencies

 backoffice.CorporateContacts (Table)
 ERDExample
 Uses  backoffice.Assets (Table)

 backoffice.CustomerSettings (Table)
 ERDExample
No dependencies

 backoffice.Environments (Table)
 ERDExample
No dependencies

backoffice.GeneralSettings (Table)
ERDExample
No dependencies

backoffice.Images (Table)
ERDExample
Uses backoffice.ImageTypes (Table)

backoffice.ImageTypes (Table)
ERDExample
Used By backoffice.Images (Table)

backoffice.Markets (Table)
ERDExample
No dependencies

backoffice.Messages (Table)
ERDExample
No dependencies

backoffice.MetricDisplayTypes (Table)
ERDExample
No dependencies

backoffice.MetricMappedValues (Table)
ERDExample
Uses backoffice.Metrics (Table)

backoffice.Metrics (Table)
ERDExample
Used By backoffice.MetricMappedValues (Table)

backoffice.MetricWidgets (Table)
ERDExample
No dependencies

backoffice.MFAToken (Table)
ERDExample
- Uses - backoffice.MFATokenDeliveryTy (Table) - backoffice.MFATokenDeliveryType (Table)

backoffice.MFATokenDeliveryTy (Table)
ERDExample
- Used By - backoffice.MFAToken (Table)

backoffice.MFATokenDeliveryType (Table)
ERDExample
- Used By - backoffice.MFAToken (Table)

backoffice.MFATokenValidationAttemptLog (Table)
ERDExample
No dependencies

backoffice.NavIcons (Table)
ERDExample
- Used By - backoffice.NavigationFolders (Table)

backoffice.Navigation (Table)
ERDExample
- Uses - backoffice.Assets (Table)

 backoffice.NavigationFolders (Table)
 ERDExample
Uses  backoffice.NavIcons (Table)

 backoffice.NavigationLinks (Table)
 ERDExample
No dependencies

 backoffice.Pages (Table)
 ERDExample
No dependencies

 backoffice.PageTabs (Table)
 ERDExample
Uses  backoffice.Assets (Table)

 backoffice.PageWidgets (Table)
 ERDExample
No dependencies

 backoffice.PartyHostCustomerTypes (Table)
 ERDExample
No dependencies

 backoffice.PartyKpiRewards (Table)
 ERDExample
No dependencies

 backoffice.PartyKpis (Table)
 ERDExample
Uses  backoffice.PartyKpiTemplates (Table)

backoffice.PartyKpiTemplates (Table)
ERDExample
Used By backoffice.PartyKpis (Table)

backoffice.PartySettings (Table)
ERDExample
No dependencies

backoffice.ResourceBlobs (Table)
ERDExample
No dependencies

backoffice.Resources (Table)
ERDExample
No dependencies

backoffice.ShoppingCarts (Table)
ERDExample
No dependencies

backoffice.SilentLoginKeys (Table)
ERDExample
No dependencies

backoffice.SilentLogins (Table)
ERDExample
No dependencies

backoffice.SqlDataGridComplexFilters (Table)
ERDExample
No dependencies

backoffice.SqlDataGridFilterTypes (Table)
ERDExample
No dependencies

backoffice.SqlDataGrids (Table)
ERDExample
Uses backoffice.SqlDataGridTypes (Table)

backoffice.SqlDataGridTypes (Table)
ERDExample
Used By backoffice.SqlDataGrids (Table)

backoffice.SystemWidgets (Table)
ERDExample
No dependencies

backoffice.SystemWidgetTabMetrics (Table)
ERDExample
No dependencies

backoffice.SystemWidgetTabs (Table)
ERDExample
No dependencies

backoffice.TeamDashboardTypes (Table)
ERDExample
No dependencies

backoffice.TrainingCoursePreRequisites (Table)
ERDExample
Uses backoffice.TrainingCourses (Table)

backoffice.TrainingCourses (Table)
ERDExample
Used By - backoffice.TrainingCoursePreRequisites (Table) - backoffice.TrainingCourseSteps (Table) - backoffice.TrainingCourseSubscribers (Table)

backoffice.TrainingCourseSteps (Table)
ERDExample
Used By - backoffice.TrainingCourseSubscribers (Table) - backoffice.TrainingCourseTasks (Table) Uses - backoffice.TrainingCourses (Table)

backoffice.TrainingCourseSubscribers (Table)
ERDExample
Uses - backoffice.TrainingCourses (Table) - backoffice.TrainingCourseSteps (Table) - backoffice.TrainingCourseTasks (Table)

backoffice.TrainingCourseTasks (Table)
ERDExample
Used By - backoffice.TrainingCourseSubscribers (Table) Uses - backoffice.TrainingCourseSteps (Table)

backoffice.Trees (Table)
ERDExample
No dependencies

backoffice.TreeViewerSettings (Table)
ERDExample
No dependencies

dbo.AuthenticateCustomer (Stored Procedure)
ERDExample
Uses f(x) dbo.GetLocalDate (Function) dbo.Customers (Table) dbo.CustomerTempAuthRequests (Table)

dbo.AutoOrderChangeLog (Table)
ERDExample
Uses dbo.AutoOrders (Table)

dbo.AutoOrderChargeLog (Table)
ERDExample
Uses dbo.Currencies (Table) dbo.Orders (Table) dbo.Warehouses (Table)

dbo.AutoOrderDetails (Table)
ERDExample
Uses dbo.AutoOrders (Table) dbo.Items (Table)

dbo.AutoOrderPaymentTypes (Table)
ERDExample
Used By dbo.AutoOrders (Table)

dbo.AutoOrderProcessTypes (Table)
ERDExample
Used By dbo.AutoOrders (Table)

dbo.AutoOrders (Table)
ERDExample
Used By - dbo.AutoOrderChangeLog (Table) - dbo.AutoOrderDetails (Table) - dbo.AutoOrderSchedules (Table) - dbo.AutoOrderStatusChangeLog (Table) - dbo.Orders (Table) Uses - dbo.AutoOrderPaymentTypes (Table) - dbo.AutoOrderProcessTypes (Table) - dbo.AutoOrderStatuses (Table) - dbo.Currencies (Table) - dbo.Customers (Table) - dbo.FrequencyTypes (Table) - dbo.ShipMethods (Table) - dbo.Warehouses (Table)

dbo.AutoOrderSchedules (Table)
ERDExample
Uses dbo.AutoOrders (Table)

dbo.AutoOrderStatusChangeLog (Table)
ERDExample
Uses - dbo.AutoOrders (Table) - dbo.AutoOrderStatuses (Table)

dbo.AutoOrderStatuses (Table)
ERDExample
Used By - dbo.AutoOrders (Table) - dbo.AutoOrderStatusChangeLog (Table)

dbo.Bills (Table)
ERDExample
Used By dbo.PayoutBills (Table) Uses dbo.BillStatuses (Table) dbo.BillTypes (Table) dbo.CommissionRuns (Table) dbo.Customers (Table)

dbo.BillStatuses (Table)
ERDExample
Used By dbo.Bills (Table)

dbo.BillTypes (Table)
ERDExample
Used By dbo.Bills (Table)

dbo.BinaryDownline (View)
ERDExample
Uses dbo.BinaryTree (Table)

dbo.BinaryPlacementTypes (Table)
ERDExample
Used By dbo.Customers (Table)

dbo.BinaryTree (Table)
ERDExample
Used By dbo.BinaryDownline (View) dbo.BinaryUpline (View)

dbo.BinaryUpline (View)
ERDExample
Uses dbo.BinaryTree (Table)

dbo.Bonuses (Table)
ERDExample
Used By dbo.CommissionBonuses (Table) dbo.CommissionDetails (Table) Uses dbo.PeriodTypes (Table)

dbo.Broadcasts (Table)
ERDExample
Used By dbo.EmailOutLog (Table) dbo.SmsMessages (Table) Uses dbo.BroadcastTypes (Table)

dbo.BroadcastTypes (Table)
ERDExample
Used By dbo.Broadcasts (Table)

dbo.CodedRanks (Table)
ERDExample
Uses dbo.CodingTypes (Table) dbo.Customers (Table) dbo.Ranks (Table)

dbo.CodingTypes (Table)
ERDExample
Used By dbo.CodedRanks (Table)

 dbo.CommandLog (Table)
 ERDExample
No dependencies

 dbo.CommissionBinaryTree (Table)
 ERDExample
■ Uses  dbo.Customers (Table)

 dbo.CommissionBonuses (Table)
 ERDExample
■ Uses  dbo.Bonuses (Table)  dbo.CommissionRuns (Table)  dbo.Customers (Table)

 dbo.CommissionCurrentExchangeRates (Table)
 ERDExample
■ Uses  dbo.Currencies (Table)

 dbo.CommissionCustomers (Table)
 ERDExample
■ Uses  dbo.CommissionRuns (Table)  dbo.Customers (Table)  dbo.Ranks (Table)

 dbo.CommissionDetails (Table)
 ERDExample
■ Uses  dbo.Bonuses (Table)  dbo.CommissionRuns (Table)  dbo.Currencies (Table)  dbo.Customers (Table)

dbo.CommissionEnrollerTree (Table)
ERDExample
Uses dbo.CommissionRuns (Table) dbo.Customers (Table)

dbo.CommissionExchangeRates (Table)
ERDExample
Uses dbo.CommissionRuns (Table) dbo.Currencies (Table)

dbo.CommissionOverrides (Table)
ERDExample
Uses dbo.CommissionRuns (Table) dbo.Customers (Table)

dbo.CommissionRankGroups (Table)
ERDExample
Uses dbo.CommissionRuns (Table) dbo.Customers (Table) dbo.Ranks (Table)

dbo.CommissionRuns (Table)
ERDExample
Used By dbo.Bills (Table) dbo.CommissionBonuses (Table) dbo.CommissionCustomers (Table) dbo.CommissionDetails (Table) dbo.CommissionEnrollerTree (Table) dbo.CommissionExchangeRates (Table) dbo.CommissionOverrides (Table) dbo.CommissionRankGroups (Table) dbo.Commissions (Table) Uses dbo.CommissionRunStatuses (Table)

dbo.CommissionRunStatuses (Table)
ERDExample
Used By  dbo.CommissionRuns (Table)

dbo.Commissions (Table)
ERDExample
Uses  dbo.CommissionRuns (Table)  dbo.Currencies (Table)  dbo.Customers (Table)

dbo.CommissionUniLevelTree (Table)
ERDExample
Uses  dbo.Customers (Table)

dbo.CommissionVolumes (Table)
ERDExample
Uses  dbo.CommissionVolumeTypes (Table)  dbo.Customers (Table)

dbo.CommissionVolumeTypes (Table)
ERDExample
Used By  dbo.CommissionVolumes (Table)

dbo.Company (Table)
ERDExample
No dependencies

dbo.CompanyNews (Table)
ERDExample
No dependencies

 dbo.CompanyNewsDepartments (Table)  ERDExample No dependencies
 dbo.Countries (Table)  ERDExample Used By  dbo.CountryRegions (Table)
 dbo.CountryRegions (Table)  ERDExample Used By  dbo.ItemCountryRegions (Table) Uses  dbo.Countries (Table)
 dbo.CreditCardTypes (Table)  ERDExample Used By  dbo.CustomerAccounts (Table)  dbo.Payments (Table)

dbo.Currencies (Table)
ERDExample
Used By dbo.AutoOrderChargeLog (Table) dbo.AutoOrders (Table) dbo.CommissionCurrentExchangeRates (Table) dbo.CommissionDetails (Table) dbo.CommissionExchangeRates (Table) dbo.Commissions (Table) dbo.CustomerAdjustments (Table) dbo.Customers (Table) dbo.ExpectedPayments (Table) dbo.ItemPrices (Table) dbo.MerchantDeclineLog (Table) dbo.Orders (Table) dbo.Payments (Table) dbo.PointAccounts (Table) dbo.ShipRates (Table) dbo.WarehouseCurrencies (Table)

dbo.CustomerAccountChangeLog (Table)
ERDExample
Uses dbo.Customers (Table)

dbo.CustomerAccounts (Table)
ERDExample
Uses dbo.CreditCardTypes (Table) dbo.Customers (Table) dbo.WalletTypes (Table)

dbo.CustomerAdjustments (Table)
ERDExample
Used By dbo.CustomerTransactions (View) Uses dbo.Currencies (Table) dbo.Customers (Table) dbo.CustomerTransactionTypes (Table)

dbo.CustomerChangeLog (Table) ERDExample ■ Uses dbo.Customers (Table)
dbo.CustomerContacts (Table) ERDExample ■ Uses dbo.Customers (Table)
dbo.CustomerEventHistory (Table) ERDExample ■ Uses dbo.Customers (Table)
dbo.CustomerEvents (Table) ERDExample No dependencies
dbo.CustomerExtendedChangeLogs (Table) ERDExample ■ Uses dbo.CustomerExtendedGroups (Table)
dbo.CustomerExtendedDetails (Table) ERDExample ■ Uses dbo.CustomerExtendedGroups (Table) dbo.Customers (Table)
dbo.CustomerExtendedGroups (Table) ERDExample ■ Used By dbo.CustomerExtendedChangeLogs (Table) dbo.CustomerExtendedDetails (Table)

 dbo.CustomerFieldNames (Table)
 ERDExample
No dependencies

 dbo.CustomerInquiries (Table)
 ERDExample
■ Uses  dbo.CustomerInquiryCategories (Table)  dbo.CustomerInquiryStatuses (Table)  dbo.CustomerInquiryTypes (Table)  dbo.Customers (Table)

 dbo.CustomerInquiryCategories (Table)
 ERDExample
■ Used By  dbo.CustomerInquiries (Table)

 dbo.CustomerInquiryStatuses (Table)
 ERDExample
■ Used By  dbo.CustomerInquiries (Table)

 dbo.CustomerInquiryTypes (Table)
 ERDExample
■ Used By  dbo.CustomerInquiries (Table)

 dbo.CustomerLeads (Table)
 ERDExample
■ Uses  dbo.Customers (Table)

 dbo.CustomerOverrides (Table)
 ERDExample
■ Uses  dbo.Customers (Table)  dbo.Overrides (Table)  dbo.PeriodTypes (Table)

 dbo.CustomerPayoutSettings (Table)
 ERDExample
■ Uses  dbo.Customers (Table)  dbo.TaxAddressTypes (Table)  dbo.TaxNameTypes (Table)

 dbo.CustomerPointAccounts (Table)
 ERDExample
■ Uses  dbo.Customers (Table)

 dbo.CustomerRankChangeLog (Table)
 ERDExample
■ Uses  dbo.Customers (Table)

Used By

-  dbo.AuthenticateCustomer (Stored Procedure)
-  dbo.AutoOrders (Table)
-  dbo.Bills (Table)
-  dbo.CodedRanks (Table)
-  dbo.CommissionBinaryTree (Table)
-  dbo.CommissionBonuses (Table)
-  dbo.CommissionCustomers (Table)
-  dbo.CommissionDetails (Table)
-  dbo.CommissionEnrollerTree (Table)
-  dbo.CommissionOverrides (Table)
-  dbo.CommissionRankGroups (Table)
-  dbo.Commissions (Table)
-  dbo.CommissionUniLevelTree (Table)
-  dbo.CommissionVolumes (Table)
-  dbo.CustomerAccountChangeLog (Table)
-  dbo.CustomerAccounts (Table)
-  dbo.CustomerAdjustments (Table)
-  dbo.CustomerChangeLog (Table)
-  dbo.CustomerContacts (Table)
-  dbo.CustomerEventHistory (Table)
-  dbo.CustomerExtendedDetails (Table)
-  dbo.CustomerInquiries (Table)
-  dbo.CustomerLeads (Table)
-  dbo.CustomerOverrides (Table)
-  dbo.CustomerPayoutSettings (Table)
-  dbo.CustomerPointAccounts (Table)
-  dbo.CustomerRankChangeLog (Table)
-  dbo.CustomerSiteChangeLog (Table)
-  dbo.CustomerSites (Table)
-  dbo.CustomerSocialNetworks (Table)
-  dbo.CustomerStatusChangeLog (Table)
-  dbo.CustomerSubscriptions (Table)
-  dbo.CustomerTempAuthRequests (Table)
-  dbo.CustomerTypeChangeLog (Table)
-  dbo.CustomerWall (Table)
-  dbo.EmailOutLog (Table)
-  dbo.EnrollerTreeHistory (Table)
-  dbo.ExpectedRetailPayments (Table)
-  dbo.Guests (Table)
-  dbo.MerchantDeclineLog (Table)
-  dbo.Orders (Table)
-  dbo.Parties (Table)
-  dbo.PartyGuests (Table)
-  dbo.PaymentCards (Table)
-  dbo.Payments (Table)

	 dbo.Payouts (Table)
	 dbo.PeriodRankScores (Table)
	 dbo.PeriodVolumes (Table)
	 dbo.SmsMessages (Table)
	 dbo.UnilevelTreeHistory (Table)
■ Uses	
	 dbo.BinaryPlacementTypes (Table)
	 dbo.Currencies (Table)
	 dbo.CustomerStatuses (Table)
	 dbo.CustomerTerminationReasons (Table)
	 dbo.CustomerTypes (Table)
	 dbo.Languages (Table)
	 dbo.PayableTypes (Table)
	 dbo.TaxCodeTypes (Table)
	 dbo.Warehouses (Table)

 dbo.CustomerSiteChangeLog (Table)
 ERDExample
■ Uses
 dbo.Customers (Table)

 dbo.CustomerSites (Table)
 ERDExample
■ Uses
 dbo.Customers (Table)

 dbo.CustomerSocialNetworks (Table)
 ERDExample
■ Uses
 dbo.Customers (Table)
 dbo.SocialNetworks (Table)

 dbo.CustomerStatusChangeLog (Table)
 ERDExample
■ Uses
 dbo.Customers (Table)

dbo.CustomerStatuses (Table) ERDExample Used By dbo.Customers (Table)
dbo.CustomerSubscriptions (Table) ERDExample Uses dbo.Customers (Table) dbo.Subscriptions (Table)
dbo.CustomerTempAuthRequests (Table) ERDExample Used By dbo.AuthenticateCustomer (Stored Procedure) Uses dbo.Customers (Table)
dbo.CustomerTerminationReasons (Table) ERDExample Used By dbo.Customers (Table)
dbo.CustomerTransactions (View) ERDExample Uses dbo.CustomerAdjustments (Table) dbo.Orders (Table) dbo.Payments (Table)
dbo.CustomerTransactionTypes (Table) ERDExample Used By dbo.CustomerAdjustments (Table)

 dbo.CustomerTypeChangeLog (Table)
 ERDExample
■ Uses  dbo.Customers (Table)

 dbo.CustomerTypes (Table)
 ERDExample
■ Used By  dbo.Customers (Table)

 dbo.CustomerWall (Table)
 ERDExample
■ Uses  dbo.Customers (Table)

 dbo.Departments (Table)
 ERDExample
■ Used By  dbo.Users (Table)

 dbo.EmailOutLog (Table)
 ERDExample
■ Uses  dbo.Broadcasts (Table)  dbo.Customers (Table)

 dbo.EnrollerDownline (View)
 ERDExample
■ Uses  dbo.EnrollerTree (Table)

 dbo.EnrollerTree (Table)
 ERDExample
■ Used By  dbo.EnrollerDownline (View)  dbo.EnrollerUpline (View)

 dbo.EnrollerTreeHistory (Table)
 ERDExample
■ Uses  dbo.Customers (Table)

 dbo.EnrollerUpline (View)
 ERDExample
■ Uses  dbo.EnrollerTree (Table)

 dbo.ExpectedPaymentFieldNames (Table)
 ERDExample
No dependencies

 dbo.ExpectedPayments (Table)
 ERDExample
■ Uses  dbo.Currencies (Table)  dbo.ExpectedPaymentStatusTypes (Table)  dbo.Orders (Table)

 dbo.ExpectedPaymentStatusTypes (Table)
 ERDExample
■ Used By  dbo.ExpectedPayments (Table)

 dbo.ExpectedRetailPayments (Table)
 ERDExample
■ Uses  dbo.Customers (Table)

 dbo.FrequencyTypes (Table)
 ERDExample
■ Used By  dbo.AutoOrders (Table)

f(x) dbo.GetLocalDate (Function)	
ERDExample	
Used By FraudContext.FraudLogs (Table) FraudContext.MerchantResponses (Table) FraudContext.AciDeviceIDs (Table) dbo.AuthenticateCustomer (Stored Procedure)	

dbo.Guests (Table)	
ERDExample	
Used By dbo.PartyGuests (Table) Uses dbo.Customers (Table) dbo.GuestStatusTypes (Table) dbo.Languages (Table)	

dbo.GuestStatusTypes (Table)	
ERDExample	
Used By dbo.Guests (Table)	

dbo.ImageFiles (Table)	
ERDExample	
No dependencies	

dbo.ItemChangeLog (Table)	
ERDExample	
Uses dbo.Items (Table)	

dbo.ItemCountryRegions (Table)	
ERDExample	
Uses dbo.CountryRegions (Table) dbo.Items (Table)	

dbo.ItemDynamicKitCategories (Table)
ERDExample
Used By dbo.ItemDynamicKitCategoryItemMembers (Table) dbo.ItemDynamicKitCategoryMembers (Table)

dbo.ItemDynamicKitCategoryItemMembers (Table)
ERDExample
Uses dbo.ItemDynamicKitCategories (Table) dbo.Items (Table)

dbo.ItemDynamicKitCategoryMembers (Table)
ERDExample
Uses dbo.ItemDynamicKitCategories (Table)

dbo.ItemFieldNames (Table)
ERDExample
No dependencies

dbo.ItemGroupMembers (Table)
ERDExample
Uses dbo.Items (Table)

dbo.ItemImages (Table)
ERDExample
No dependencies

dbo.ItemLanguages (Table)
ERDExample
Uses dbo.Items (Table) dbo.Languages (Table)

 dbo.ItemPointAccounts (Table)
 ERDExample
■ Uses  dbo.Items (Table)  dbo.PointAccounts (Table)

 dbo.ItemPrices (Table)
 ERDExample
■ Uses  dbo.Currencies (Table)  dbo.Items (Table)  dbo.PriceTypes (Table)

 dbo.Items (Table)
 ERDExample
■ Used By  dbo.AutoOrderDetails (Table)  dbo.ItemChangeLog (Table)  dbo.ItemCountryRegions (Table)  dbo.ItemDynamicKitCategoryItemMembers (Table)  dbo.ItemGroupMembers (Table)  dbo.ItemLanguages (Table)  dbo.ItemPointAccounts (Table)  dbo.ItemPrices (Table)  dbo.ItemStaticKitMembers (Table)  dbo.ItemSubscriptions (Table)  dbo.ItemWarehouses (Table)  dbo.OrderDetails (Table)  dbo.WebCategoryItems (Table) ■ Uses  dbo.ItemTypes (Table)

 dbo.ItemStaticKitMembers (Table)
 ERDExample
■ Uses  dbo.Items (Table)

dbo.ItemSubscriptions (Table)
ERDExample
■ Uses dbo.Items (Table) dbo.Subscriptions (Table)

dbo.ItemTypes (Table)
ERDExample
■ Used By dbo.Items (Table)

dbo.ItemWarehouses (Table)
ERDExample
■ Uses dbo.Items (Table) dbo.Warehouses (Table)

dbo.Languages (Table)
ERDExample
■ Used By dbo.Customers (Table) dbo.Guests (Table) dbo.ItemLanguages (Table) dbo.Parties (Table)

dbo.MerchantDeclineLog (Table)
ERDExample
■ Uses dbo.Currencies (Table) dbo.Customers (Table) dbo.MerchantDeclineReasons (Table) dbo.MerchantTypes (Table) dbo.Orders (Table)

dbo.MerchantDeclineReasons (Table)
ERDExample
■ Used By dbo.MerchantDeclineLog (Table)

 dbo.MerchantTypes (Table)  ERDExample Used By  dbo.MerchantDeclineLog (Table)  dbo.Payments (Table)
 dbo.OrderBatches (Table)  ERDExample Uses  dbo.Warehouses (Table)
 dbo.OrderChangeLog (Table)  ERDExample Uses  dbo.Orders (Table)
 dbo.OrderDetails (Table)  ERDExample Uses  dbo.Items (Table)  dbo.Orders (Table)
 dbo.OrderFieldNames (Table)  ERDExample No dependencies

dbo.Orders (Table)	
ERDExample	
Used By	- dbo.AutoOrderChargeLog (Table) - dbo.ExpectedPayments (Table) - dbo.MerchantDeclineLog (Table) - dbo.OrderChangeLog (Table) - dbo.OrderDetails (Table) - dbo.CustomerTransactions (View) - dbo.OrderStatusChangeLog (Table) - dbo.Payments (Table)
Uses	- dbo.AutoOrders (Table) - dbo.Currencies (Table) - dbo.Customers (Table) - dbo.OrderStatuses (Table) - dbo.OrderSubStatusTypes (Table) - dbo.OrderTypes (Table) - dbo.PriceTypes (Table) - dbo.ReplacementCategories (Table) - dbo.ReturnCategories (Table) - dbo.ShipMethods (Table) - dbo.Warehouses (Table)

dbo.OrderStatusChangeLog (Table)	
ERDExample	
Uses	- dbo.Orders (Table) - dbo.OrderStatuses (Table)

dbo.OrderStatuses (Table)	
ERDExample	
Used By	- dbo.Orders (Table) - dbo.OrderStatusChangeLog (Table) - dbo.OrderStatusOrderSubStatuses (Table)

dbo.OrderStatusOrderSubStatuses (Table)	
ERDExample	
Uses	- dbo.OrderStatuses (Table) - dbo.OrderSubStatusTypes (Table)

 dbo.OrderSubStatusTypes (Table)
 ERDExample
Used By  dbo.Orders (Table)  dbo.OrderStatusOrderSubStatuses (Table)

 dbo.OrderTypes (Table)
 ERDExample
Used By  dbo.Orders (Table)

 dbo.Overrides (Table)
 ERDExample
Used By  dbo.CustomerOverrides (Table)

 dbo.Parties (Table)
 ERDExample
Used By  dbo.PartyGuests (Table) Uses  dbo.Customers (Table)  dbo.Languages (Table)  dbo.PartyStatuses (Table)  dbo.PartyTypes (Table)

 dbo.PartyGuests (Table)
 ERDExample
Uses  dbo.Customers (Table)  dbo.Guests (Table)  dbo.Parties (Table)

 dbo.PartyStatuses (Table)
 ERDExample
Used By  dbo.Parties (Table)

dbo.PartyTypes (Table)
ERDExample
Used By  dbo.Parties (Table)

dbo.PayableTypes (Table)
ERDExample
Used By  dbo.Customers (Table)

dbo.PaymentCards (Table)
ERDExample
Uses  dbo.Customers (Table)  dbo.PaymentCardTypes (Table)

dbo.PaymentCardTypes (Table)
ERDExample
Used By  dbo.PaymentCards (Table)

dbo.Payments (Table)
ERDExample
Used By  dbo.CustomerTransactions (View) Uses  dbo.CreditCardTypes (Table)  dbo.Currencies (Table)  dbo.Customers (Table)  dbo.MerchantTypes (Table)  dbo.Orders (Table)  dbo.PaymentTypes (Table)  dbo.WalletTypes (Table)  dbo.Warehouses (Table)

 dbo.PaymentTypes (Table)
 ERDExample
Used By  dbo.Payments (Table)

 dbo.PayoutBills (Table)
 ERDExample
Uses  dbo.Bills (Table)  dbo.Payouts (Table)

 dbo.Payouts (Table)
 ERDExample
Used By  dbo.PayoutBills (Table) Uses  dbo.Customers (Table)  dbo.PayoutTypes (Table)

 dbo.PayoutTypes (Table)
 ERDExample
Used By  dbo.Payouts (Table)

 dbo.PeriodRankScores (Table)
 ERDExample
Uses  dbo.Customers (Table)  dbo.Periods (Table)  dbo.Ranks (Table)

 dbo.Periods (Table)
 ERDExample
Used By  dbo.PeriodRankScores (Table)  dbo.PeriodVolumes (Table) Uses  dbo.PeriodTypes (Table)

 dbo.PeriodTypes (Table)
 ERDExample
Used By  dbo.Bonuses (Table)  dbo.CustomerOverrides (Table)  dbo.Periods (Table)

 dbo.PeriodVolumes (Table)
 ERDExample
Uses  dbo.Customers (Table)  dbo.Periods (Table)  dbo.Ranks (Table)

 dbo.PointAccounts (Table)
 ERDExample
Used By  dbo.ItemPointAccounts (Table)  dbo.PointTransactions (Table) Uses  dbo.Currencies (Table)

 dbo.PointTransactions (Table)
 ERDExample
Uses  dbo.PointAccounts (Table)  dbo.PointTransactionTypes (Table)

 dbo.PointTransactionTypes (Table)
 ERDExample
Used By  dbo.PointTransactions (Table)

 dbo.PriceTypes (Table)
 ERDExample
Used By  dbo.ItemPrices (Table)  dbo.Orders (Table)

dbo.Ranks (Table)
ERDExample
Used By - dbo.CodedRanks (Table) - dbo.CommissionCustomers (Table) - dbo.CommissionRankGroups (Table) - dbo.PeriodRankScores (Table) - dbo.PeriodVolumes (Table)

dbo.ReplacementCategories (Table)
ERDExample
Used By dbo.Orders (Table)

dbo.ReturnCategories (Table)
ERDExample
Used By dbo.Orders (Table)

dbo.ShipCarriers (Table)
ERDExample
Used By dbo.ShipMethods (Table)

dbo.ShipMethods (Table)
ERDExample
Used By - dbo.AutoOrders (Table) - dbo.Orders (Table) - dbo.ShipRates (Table) Uses - dbo.ShipCarriers (Table)

dbo.ShipRates (Table)
ERDExample
Uses - dbo.Currencies (Table) - dbo.ShipMethods (Table)

dbo.SmsMessages (Table)
ERDExample
Uses dbo.Broadcasts (Table) dbo.Customers (Table) dbo.SmsStatuses (Table)

dbo.SmsStatuses (Table)
ERDExample
Used By dbo.SmsMessages (Table)

dbo.SocialNetworks (Table)
ERDExample
Used By dbo.CustomerSocialNetworks (Table)

dbo.Subscriptions (Table)
ERDExample
Used By dbo.CustomerSubscriptions (Table) dbo.ItemSubscriptions (Table)

dbo.TaxAddressTypes (Table)
ERDExample
Used By dbo.CustomerPayoutSettings (Table)

dbo.TaxCodeTypes (Table)
ERDExample
Used By dbo.Customers (Table)

dbo.TaxNameTypes (Table)
ERDExample
Used By dbo.CustomerPayoutSettings (Table)

dbo.UniLevelDownline (View)
ERDExample
■ Uses dbo.UniLevelTree (Table)

dbo.UniLevelTree (Table)
ERDExample
■ Used By dbo.UniLevelDownline (View) dbo.UniLevelUpline (View)

dbo.UnilevelTreeHistory (Table)
ERDExample
■ Uses dbo.Customers (Table)

dbo.UniLevelUpline (View)
ERDExample
■ Uses dbo.UniLevelTree (Table)

dbo.Users (Table)
ERDExample
■ Uses dbo.Departments (Table)

dbo.VolumePushCycleLogs (Table)
ERDExample
No dependencies

dbo.WalletTypes (Table)
ERDExample
■ Used By dbo.CustomerAccounts (Table) dbo.Payments (Table)

 dbo.WarehouseCurrencies (Table)
 ERDExample
■ Uses  dbo.Currencies (Table)  dbo.Warehouses (Table)

 dbo.Warehouses (Table)
 ERDExample
■ Used By  dbo.AutoOrderChargeLog (Table)  dbo.AutoOrders (Table)  dbo.Customers (Table)  dbo.ItemWarehouses (Table)  dbo.OrderBatches (Table)  dbo.Orders (Table)  dbo.Payments (Table)  dbo.WarehouseCurrencies (Table)

 dbo.WebCategories (Table)
 ERDExample
■ Used By  dbo.WebCategoryItems (Table)

 dbo.WebCategoryItems (Table)
 ERDExample
■ Uses  dbo.Items (Table)  dbo.WebCategories (Table)

 ExigoOrderCalc.ZipCodes (Table)
 ERDExample
No dependencies

 ExigoWebContext.CalendarEventPrivacyTypes (Table)
 ERDExample
No dependencies

 ExigoWebContext.CalendarEvents (Table)
 ERDExample
No dependencies

 ExigoWebContext.CalendarEventTags (Table)
 ERDExample
No dependencies

 ExigoWebContext.CalendarEventTypes (Table)
 ERDExample
No dependencies

 ExigoWebContext.CalendarMarketLanguages (Table)
 ERDExample
No dependencies

 ExigoWebContext.Calendars (Table)
 ERDExample
No dependencies

 ExigoWebContext.CalendarSpeakers (Table)
 ERDExample
No dependencies

 ExigoWebContext.CalendarSubscriptions (Table)
 ERDExample
No dependencies

 ExigoWebContext.CalendarTypes (Table)
 ERDExample
No dependencies

 ExigoWebContext.CompatibleVersions (Table)
 ERDExample
No dependencies

 ExigoWebContext.ContentEnvironments (Table)
 ERDExample
No dependencies

 ExigoWebContext.ContentItems (Table)
 ERDExample
No dependencies

 ExigoWebContext.ContentSites (Table)
 ERDExample
No dependencies

 ExigoWebContext.CustomSortNodePositions (Table)
 ERDExample
No dependencies

 ExigoWebContext.CustomSortNodes (Table)
 ERDExample
No dependencies

 ExigoWebContext.ImageFiles (Table)
 ERDExample
No dependencies

 ExigoWebContext.Logs (Table)
 ERDExample
No dependencies

 ExigoWebContext.ResourceAvailabilities (Table)
 ERDExample
No dependencies
 ExigoWebContext.ResourceCategories (Table)
 ERDExample
No dependencies
 ExigoWebContext.ResourceCategoryItems (Table)
 ERDExample
No dependencies
 ExigoWebContext.ResourceItems (Table)
 ERDExample
No dependencies
 ExigoWebContext.ResourceItemTags (Table)
 ERDExample
No dependencies
 ExigoWebContext.ResourceStatuses (Table)
 ERDExample
No dependencies
 ExigoWebContext.ResourceTranslatedCategoryItems (Table)
 ERDExample
No dependencies
 ExigoWebContext.ResourceTypes (Table)
 ERDExample
No dependencies

ExigoWebContext.Tags (Table)
ERDExample
No dependencies

FraudContext.AciDeviceIDs (Table)
ERDExample
Uses f(x) dbo.GetLocalDate (Function)

FraudContext.FraudLogs (Table)
ERDExample
Uses f(x) dbo.GetLocalDate (Function)

FraudContext.MerchantResponses (Table)
ERDExample
Uses f(x) dbo.GetLocalDate (Function)